

Panasonic、Rasonic 或 Frostar 窗口式空調機標準安裝服務收費

窗口式空調機標準安裝服務收費	
產品類別	標準安裝服務收費 (港幣)
3/4 匹 - 1 匹	\$ 500 (每台)
1.5 匹 - 2 匹	\$ 600 (每台)
2.5 匹	\$ 700 (每台)
窗口式空調機標準安裝服務項目包括： 1) 如設有空調機窗台(石屎)有足夠能力承托所安裝的空調機重量，將使用膠腳承托。(標準安裝不包任何鋁架) 2) 如無空調機窗台(石屎)，需安裝鋁架，吊撐架或吊架，則需額外收費。 3) 安裝跟機膠接水盤及鋼喉 (不超過 5 呎) 至機旁排水位 (如現有)。 4) 接駁跟機電源線至機旁電源位 (客戶需提供合適的電力裝置)。 5) 包括一塊 2 分厚 x 4 吋闊 x 26 吋長的普通透明封邊玻璃 (如需要現場使用)。	
額外工程/ 附加服務收費表	收費(港幣)
窗口空調機安裝座台鋁架/掛窗鋁架	\$ 100 (每個)
窗口空調機安裝吊撐架 (鋁角)	\$ 200 (每對)
拆舊窗口空調機冷氣機及機架	\$ 100 (每部)
搬走舊窗口空調機	免費
搬走舊窗口空調機需上落樓梯超過兩層	\$ 40 (每層)
窗口空調機加裝不銹鋼水盤 (個) 連 10 呎喉網	\$350 (每套)
額外加裝 10 呎排水網喉	\$130 (每條)
茶色鋁架	\$150 (每個)
機頂防音膠	\$220 (每台)
窗口位置不足，需改高或改闊 (在許可情況下)	\$220 (每台)
改鋁窗框 T 骨	\$220 (每台)
封 2 分光面 / 花 / 磨沙玻璃 (5' x 26' 以內)	\$150 / \$200 / \$250 (每件)
封 2 分光面 / 花 / 磨沙玻璃 (20' x 30' 以內)	\$300 / \$400 / \$500 (每件)
新加冷氣電源供電蘇位 (10 呎內)	\$850 (每套)
安裝有燈開關電掣	\$200 (每個)
愉景灣額外服務附加費	\$320 (每台) (安裝)
離島、禁區及遍遠地區額外服務附加費	另議(每台) (安裝)
向屋宇署呈交小型工程完成證明書 MW05 (如法例規定)	另議

備註：

1. 窗口式空調機標準安裝服務只適用於全新購買及未曾安裝之 Panasonic、Rasonic 樂信 或 Frostar 冰雪牌之窗口式空調機。
2. 本價目表純屬參考之用，如遇情況特殊，價目將會另議。所有額外工程/附加服務由安裝師傅現場報價作準。
3. 其它不在上述額外工程 / 附加服務之內的项目(包括小型註冊工程申請費、棚架工程) 均需另行報價。
4. 空調機只可安裝在穩固及有足夠空間之窗位或空調機窗台。
5. 空調機安放位置需由客人先與共同業主/業主立案法團、物業管理公司、房屋署等商討有關使用公用部份的權利並取得許可，工程展開前客人必須與師傅確認安裝細節，如於施工開始後，安裝位置有爭議而需要重新安裝或更改位置，客方必須支付拆卸及重裝之全部費用。
6. 提供 1 年安裝工程保養服務(由完工日起計)。保養包括: i) 空調機鋁架(新安裝) ii) 窗口玻璃膠封口。保養不包括之項目: 搭棚及安全架，需由客人負責提供。或由於不良保養引致的問題(如冷氣機去水喉因欠定時保養引致漏水)。
7. 窗口式空調機標準安裝服務並不包括重新安裝、拆卸舊機、代運送或設置產品以外之設備及裝置等。
8. 客人提供之電力設施需符合電力(線路)規例 Code of Practice for Electricity (Wiring) Regulations。
9. 額外工程及附加服務需於標準安裝時一併進行及完成，否則需加收額外附加服務費。
10. 於安裝時，客戶必須出示產品保修記錄卡及由香港或澳門經銷商發出的正式發票予本公司技術員查閱。
11. 客戶必須先清除障礙物及提供適當之工作空間，以便進行安裝服務。如需本公司額外提供搬機服務，則需另收費。
12. 若安裝位置不適合、因技術理由而不能安裝或有安全性問題，本公司有權拒絕提供安裝服務。
13. 安裝服務只適用於信興集團公司銷售的香港行貨。
14. 若有任何爭議，本公司保留最終決議權。

如需預約安裝服務，請按[此](#)聯絡我們。

Panasonic 、Rasonic and Frostar Window Type Air Conditioner Standard Installation Service Fee.

<u>Window Type Air Conditioner Standard Installation Service Fee</u>	
<u>HP</u>	<u>Standard Installation Service Fee (HK\$)</u>
3/4 HP - 1 HP	\$ 500 per unit
1.5 HP – 2HP	\$ 600 per unit
2.5 HP	\$ 700 per unit
<u>Scope of the Window Type Air Conditioner Standard Installation Service:</u> <ol style="list-style-type: none"> 1) If there window sill (concrete slab parts) which can support the window AC weight, the rubber pole will be used (Standard installation does not include any aluminum base) 2) If there is no window sill (without concrete slab), aluminum U sharp support and mounting hanger will be needed for the installation. 3) Install the supplied water drain pan and connect the water hose (not longer than 5ft) to the existing drain (if available). 4) Connect the supplied power supply cable the power supply/socket. (Customer needs to provide suitable power supply/socket.) 5) Include a piece of 6mm (thick) x 4 inch (w) x 26 inch (l) normal clear window glass for sealing the window (if necessary). 	
<u>Additional Installation Work Charges</u>	<u>Additional Charges (HK\$)</u>
Aluminum U sharp supporter	\$100 (per unit)
Mounting hanger (Aluminum angle)	\$200 (each pair)
To dismantle the existing old window type AC and the aluminum frame	\$100 (per unit)
Disposal the old split type air conditioner	FREE
Service fee for the move downstairs to disposing the old AC over 2 storeys	\$40 (per floor per unit)
Stainless steel water tray with 10ft water hose.	\$350 (per set)
Additional 10ft water hose	\$130 (pcs)
Bronze aluminum U sharp supporter	\$150 (per unit)
AC drip cushion	\$220 (per unit)
Modify the existing window frame to enlarge the window space for installation	\$220 (per unit)
Modify the exiting T-Junction of aluminum window frame	\$220 (per unit)

Normal clear glass / Patterned glass / Sandblasting glass (6mm thick and within 5 inch x 26 inch)	\$150 / \$200/ \$250 (per unit)
Normal clear glass / Patterned glass / Sandblasting glass (6mm thick and within 20 inch x 30 inch)	\$300 / \$400/ \$500 (per unit)
Install a new socket (within 10 ft.)	\$850 (per unit)
Install a light switch	\$200 (per unit)
Additional surcharge for Discovery Bay	\$320 (per unit) (Installation)
Additional surcharge for outlying island, restricted area and remote area	By Quote (per unit) (Installation)
Submission of Certificate of Completion of Minor Works MW05 (Under the simplified requirements of Minor Works)	By Quote

Remarks:

1. Window Type Air Conditioner Standard Installation Service is only applicable on newly purchased and not installed Panasonic, Rasonic or Froster window type air conditioner
2. This price list is for reference purpose only. Price will be quoted separately under special circumstances. All the additional works and charges are subject to our installation technician's final confirmation during the on-site installation service.
3. Other additional works not included on the above price list will be separately quoted. (Eg. Submission of Certificate of Completion of Minor Works MW05, scaffolding fee).
4. An air-conditioner can only install on a stable window sill or stand with sufficient space.
5. The installation location of air conditioner is decided by the customer, who is obligated to obtain the permit from co-owner of property, owner's corporations management office, building management company, HK Housing Authority, etc. on the right to use the common part comply with the obligations of the Building Deed of mutual covenant. The customer should confirm the installation details with our installation technician before work. If there is any dispute on the installation location and need to change the location after the installation works starts, additional dismantle and re-installation fee will be charged to the customer.
6. 12-month warranty is provided for the installation work (Start from the installation complete date). The warranty includes (i) Air conditioner

- aluminum frame (newly installed); (ii) Silicone to seal the glass. The warranty does not include: scaffolding and safety racks, which must be provided by the customer; Problems caused by poor maintenance (such as water leakage due to insufficient regular maintenance of the air-conditioner drain pipe)
7. Window Type Air Conditioner Standard Installation Service does not cover reinstallation, dismantling, transportation or setup of any accessories/exterior equipment of the product.
 8. The power supply/ socket provided by the customer must comply the Code of Practice for Electricity (Wiring) Regulations °
 9. Additional Installation work must arrange and complete with the standard installation work. Otherwise, an additional surcharge will be applied.
 10. The customer need to present the Product Warranty Card together with the official purchase invoice issued by the dealers of Hong Kong or Macau to our technician for verification.
 11. Any blockage should be cleared by the customer before work. A removal fee will be charged in case additional labour is required to move the appliance to a serviceable area.
 12. If the installation position is unsuitable or the air conditioner is unable to install due to technical or safety issue, our company reserves the right to refuse to provide the installation service.
 13. Installation Service is only applicable to Shun Hing group authorized Hong Kong Official goods.
 14. In the event of any dispute, our Company reserves the right to make the final decision.

To book the installation service, please click [HERE](#) to contact us.